

UniFi UISP Branding

Search UniFi products



Switching WiFi Camera Security Door Access CloudKeys & Gateways Power Tech Inte

Hubs > Door Hub Mini

Datasheet

Marketing Images

Installation Guide



### Mechanical

<b>Dimensions</b>	113 x 66 x 27.6 mm (4.4 x 2.6 x 1.1")
<b>Weight</b>	190 g (6.7 oz)
<b>Enclosure material</b>	Polycarbonate, metal

### Hardware

<b>Networking interface</b>	(3) GbE RJ45 ports
<b>Power method</b>	PoE++

**Max. power consumption** Without PoE output: 19W  
With PoE output: 50W

**PoE input** 50V DC, 1A

**PoE output** (2) PoE ports, total 31W

**Button** (1) Factory-reset  
(1) Dry/Wet switch

**Digital input** Request to exit/door position sensor

**Output relay** Dry: 30V DC, 1A  
Wet: 12V DC, 1A

Recommend max. cable length	18 AWG	20	22
	UACC-Cable-DoorLockRelay length	AWG length	AWG length
<b>UA-Lock-Electric (400mA)</b>	100 m (328 ft)	66 m (217 ft)	42 m (138 ft)
<b>UA-Lock-Magnetic-270kg (800mA)</b>	46 m (151 ft)	30 m (98 ft)	20 m (66 ft)
<b>UA-Lock-Magnetic-540kg (500mA)</b>	80 m (262 ft)	51 m (167 ft)	32 m (105 ft)
<b>Other locks (1A)</b>	36 m (118 ft)	24 m (79 ft)	15 m (49 ft)

**PoE cabling requirements** Cable 5e cabling is the minimum performance category recommended. The performance category utilized should match the transmission speed required at the installation. The minimal conductor gauge permitted to connect between the PSE or power source and the PD shall be 26 AWG (0.13 mm<sup>2</sup>) for patch cords; 24 AWG (0.21 mm<sup>2</sup>) for patch panel or riser cable.

**Operating environment** Indoor use only

**Ambient operating temperature** -10 to 40° C (14 to 104° F)

**Ambient operating humidity** 5 to 90% noncondensing

**Software information** The software version of a product can be checked at <https://unifi.ui.com>

**Certifications** CE, FCC, IC

**Document number, and issue date and/or revision level** UA-Hub-Door-Mini, V01

---

## Software

**Management application** UniFi Access: Version 2.5.2 and later

---

## LEDs

**PoE in** System status

**PoE out** Wire status/activity

**Input/output relay** Wire status/activity

### Stay in Touch



[Terms of Service](#) | [Privacy Policy](#) | [Legal](#) | [Cookies Settings](#)

© 2025 Ubiquiti, Inc. All rights reserved.